

West Shore Bureau of Fire


Lemoine, PA

This report was generated on 2/1/2019 10:12:06 AM



Breakdown by Major Incident Types for Date Range

Zone(s): All Zones | Start Date: 01/01/2019 | End Date: 01/31/2019



| MAJOR INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|------------------------------------|-------------|----------------|
| Fires | 5 | 10.20% |
| Rescue & Emergency Medical Service | 6 | 12.24% |
| Hazardous Condition (No Fire) | 8 | 16.33% |
| Service Call | 2 | 4.08% |
| Good Intent Call | 16 | 32.65% |
| False Alarm & False Call | 11 | 22.45% |
| Severe Weather & Natural Disaster | 1 | 2.04% |
| TOTAL | 49 | 100.00% |

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.

Detailed Breakdown by Incident Type

| INCIDENT TYPE | # INCIDENTS | % of TOTAL |
|---------------------------------------------------------|-------------|----------------|
| 100 - Fire, other | 1 | 2.04% |
| 113 - Cooking fire, confined to container | 1 | 2.04% |
| 114 - Chimney or flue fire, confined to chimney or flue | 2 | 4.08% |
| 131 - Passenger vehicle fire | 1 | 2.04% |
| 311 - Medical assist, assist EMS crew | 3 | 6.12% |
| 322 - Motor vehicle accident with injuries | 3 | 6.12% |
| 412 - Gas leak (natural gas or LPG) | 4 | 8.16% |
| 440 - Electrical wiring/equipment problem, other | 1 | 2.04% |
| 441 - Heat from short circuit (wiring), defective/worn | 1 | 2.04% |
| 445 - Arcing, shorted electrical equipment | 1 | 2.04% |
| 463 - Vehicle accident, general cleanup | 1 | 2.04% |
| 500 - Service Call, other | 1 | 2.04% |
| 522 - Water or steam leak | 1 | 2.04% |
| 600 - Good intent call, other | 1 | 2.04% |
| 611 - Dispatched & cancelled en route | 13 | 26.53% |
| 651 - Smoke scare, odor of smoke | 2 | 4.08% |
| 700 - False alarm or false call, other | 3 | 6.12% |
| 730 - System malfunction, other | 1 | 2.04% |
| 741 - Sprinkler activation, no fire - unintentional | 3 | 6.12% |
| 745 - Alarm system activation, no fire - unintentional | 3 | 6.12% |
| 746 - Carbon monoxide detector activation, no CO | 1 | 2.04% |
| 800 - Severe weather or natural disaster, other | 1 | 2.04% |
| TOTAL INCIDENTS: | 49 | 100.00% |

Only REVIEWED incidents included. Summary results for a major incident type are not displayed if the count is zero.